



GAEATE



Shenzhen Gaeate Technology Co., Ltd.



Room 409, No. 10, East 4th lane, Lifeng road, Qiaotou community, Fuhai street, Bao'an district, Shenzhen



Mobile: +86 15797633908
+86 15797698296



E-MIL: bonnie@gaeate.com
soso@gaeate.com



www.gaeate.com

Contents

About us

Shenzhen Gaeate Technology Co., Ltd, which is a manufacturer specialized in the research, development and production of home appliances. Our Company now owns the major product line including air fryer, blender, kettle, mixer, toaster etc. All of our products comply with international quality standards and are greatly appreciated in a variety of different markets throughout the world. Our product sold as far as more than 30 countries, cover the regions in Middle east, and Southeast Asia such as Korea, Malaysia, Indonesia, as well as some European and North American countries and regions.

Our factory are covering a land area of more than 10K square meters and more than 200 production employees as well as a group of senior industrial research and development talents. Gaeate is adhering to the core competence "Better Life, Better Future"

Many of our products have passed CE, GS, EMC, RoHS, CB, REACH, LFGB, ETL and other international quality certification. We have been strictly abide by the ISO 9001:2015 quality management system. Quality is our principle. Welcome you cooperate with us to build splendid tomorrow .

Air Fryer	01-04
Blender.....Slow Juicer	06-08
.....Vacuum Blender	09-11
MixerStand Mixer	12-13
.....Hand Mixer	14-15
Toaster	16
Kettle	17-19

Air Fryer

1 Cake barrels 7 inch



2 Cake barrels 8 inch



3 Multi-purpose grill rack with skewers



4 Metal holder



5 Stainless steel skewer



6 Gloves



7 Pizza pan 7 inch



8 Pizza pan 8 inch



8 Grill pan (Fish pan)



10 Brush



11 Pliers with fork



12 Rubber mat





AF335:

100-127V/220-240V,50/60Hz,1300W
 Air fryer for cooking without oil or with less oil
 4.5L Non-stick coating food basket with LFGB and FDA
 30minutes timer with alarm/indicator
 Adjustable temperature:80-200 ° C
 Removable pot with non-stick coating
 Cool touch housing



Loading Qty/20GP/40GP/40HQ:610/1300/1594PCS

Capacity: 4.5L
 POWER: 1300W
 Weight: N.W:3.6kg G.W:4.8kg
 Gift box Dimension: 34.4*29.7*37.9cm
 QTY/CTN: 2

AF336:

100-127V/220-240V,50/60Hz,1300W
 Adjustable thermostat with LED display and easy control
 Air fryer for cooking without oil or with less oil
 4.5L Non-stick coating food basket with LFGB and FDA
 30minutes timer with alarm/indicator
 Adjustable temperature:80-200 ° C
 Removable pot with non-stick coating
 Cool touch housing

Loading Qty/20GP/40GP/40HQ:610/1300/1594PCS

Capacity: 4.5L
 POWER: 1300W
 Weight: N.W:3.6kg G.W:4.8kg
 Gift box Dimension: 34.4*29.7*37.9cm
 QTY/CTN: 2



AF337:

100-127V/220-240V,50/60Hz,1300W
 Air fryer for cooking without oil or with less oil
 4.5L Non-stick coating food basket with LFGB and FDA
 30minutes timer with alarm/indicator
 Adjustable temperature:80-200 ° C
 Removable pot with non-stick coating
 Cool touch housing



Loading Qty/20GP/40GP/40HQ:690/1430/1650PCS
 Capacity: 4.5L
 POWER: 1300W
 Weight: N.W:3.7kg G.W:4.7kg
 Gift box Dimension: 31*31*38.4cm
 QTY/CTN: 2

AF338:

100-127V/220-240V,50/60Hz,1300W
 Adjustable thermostat with LED display and easy control
 Air fryer for cooking without oil or with less oil
 4.5L Non-stick coating food basket with LFGB and FDA
 30minutes timer with alarm/indicator
 Adjustable temperature:80-200 ° C
 Removable pot with non-stick coating
 Cool touch housing

Loading Qty/20GP/40GP/40HQ:690/1430/1650PCS
 Capacity: 4.5L
 POWER: 1300W
 Weight: N.W:3.7kg G.W:4.7kg
 Gift box Dimension: 31*31*38.4cm
 QTY/CTN: 2



AF705:

100-127V/220-240V,50/60Hz,1700W/1800W
 Air fryer for cooking without oil or with less oil
 Adjustable temperature:80-200 ° C
 Timer up to 30 min
 5.6l extra larger non-stick coating food basket with LFGB and FDA
 Removable pot with non-stick coating
 Cool touch housing

AF706:

100-127V/220-240V,50/60Hz,1700W/1800W
 Air fryer for cooking without oil or with less oil
 Adjustable thermostat with LED display
 Adjustable temperature:80-200 ° C
 Timer up to 30 min
 5.6l extra larger non-stick coating food basket with LFGB and FDA
 Removable pot with non-stick coating
 Cool touch housing



Loading Qty/20GP/40GP/40HQ:430/920/1080PCS

Capacity: 5.3L/7L
 POWER: 1700W/1800W
 Weight: N.W:5.1kg G.W:5.9kg
 Gift box Dimension: 36*36*42cm

QTY/CTN: 2

Loading Qty/20GP/40GP/40HQ:455/943/1105PCS

Capacity: 5.3L/7L
 POWER: 1700W/1800W
 Weight: N.W:5.1kg G.W:5.9kg
 Gift box Dimension: 36*36*42cm

QTY/CTN: 2

AF513



AF513:

100-127V/220-240V,50/60Hz,1800W
 Air fryer for cooking without oil or with less oil
 Adjustable temperature:80-200 ° C
 Timer up to 30 min
 5.6l extra larger non-stick coating food basket with LFGB and FDA
 Removable pot with non-stick coating
 Cool touch housing
 Stainless steel panel

AF517:

100-127V/220-240V,50/60Hz,1800W
 Air fryer for cooking without oil or with less oil
 Adjustable temperature:80-200 ° C
 Timer up to 30 min
 5.6l extra larger non-stick coating food basket with LFGB and FDA
 Removable pot with non-stick coating
 Cool touch housing
 Stainless steel panel

AF517



Loading Qty/20GP/40GP/40HQ:430/920/1080PCS

Capacity: 6L/8L
 POWER: 1800W
 Weight: N.W:4.8kg G.W:5.6kg
 Gift box Dimension: 41*35.5*39.5cm

QTY/CTN: 2

Loading Qty/20GP/40GP/40HQ:430/920/1080PCS

Capacity: 6L/8L
 POWER: 1800W
 Weight: N.W:4.8kg G.W:5.6kg
 Gift box Dimension: 41*35.5*39.5cm

QTY/CTN: 2

Slow Juicer



Model NO.: SJ3001

220-240V~ 50/60Hz 150W

Elegant and compact design

Detachable accessories for easy cleaning

Slow juice extraction with better taste and fresh feeling

Working speed with 80-115/RPM (KB: 10mins)

Low noise design of DC type motor, less than 65db

Big Knob design with Reverse function to avoid food jammed

Small feeding tube with 44mm diameter, with 2 cups
accessory

High juice extraction rate

Slow Juicer



Model NO.: SJ3101
220-240V~ 50/60Hz 200W

- Retro style design
- Detachable accessories for easy cleaning
- Slow juice extraction with better taste and fresh feeling
- Working speed with 80-115/RPM (KB: 10mins)
- Low noise design of DC type motor, less than 65db
- Press button design with Reverse function to avoid food jammed
- New patent Large feeding mouth design 75mm for whole apple
- High juice extraction rate



Model NO.: SJ3102
220-240V~ 50/60Hz 200W

- Elegant and compact design
- Detachable accessories for easy cleaning
- Slow juice extraction with better taste and fresh feeling
- Working speed with 80-115/RPM (KB: 10mins)
- Low noise design of DC type motor, less than 65db
- Press-button design with Reverse function to avoid food jammed
- New patent Large feeding mouth design 75mm for whole apple
- High juice extraction rate



Model NO.: SJ3103
220-240V~ 50/60Hz 200W

- Elegant and compact design with chromed decotation
- Detachable accessories for easy cleaning
- Slow juice extraction with better taste and fresh feeling
- Working speed with 80-115/RPM (KB: 10mins)
- Low noise design of DC type motor, less than 65db
- Press-button design with Reverse function to avoid food jammed
- New patent Latest Large feeding mouth design 75mm for whole apple
- High juice extraction rate



Model NO.: SJ3104
220-240V~ 50/60Hz 200W

- Elegant and compact design with chromed decotation buttom
- Detachable accessories for easy cleaning
- Slow juice extraction with better taste and fresh feeling
- Working speed with 80-115/RPM (KB: 10mins)
- Low noise design of DC type motor, less than 65db
- Press-button design with Reverse function to avoid food jammed
- New patent Large feeding mouth design 75mm for whole apple
- High juice extraction rate



Model NO.: SJ3105
220-240V~ 50/60Hz 200W

- Elegant and compact design with chromed decotation
- Detachable accessories for easy cleaning
- Slow juice extraction with better taste and fresh feeling
- Working speed with 80-115/RPM (KB: 10mins)
- Low noise design of DC type motor, less than 65db
- Press-button design with Reverse function to avoid food jammed
- New patent Large feeding mouth design 75mm for whole apple
- High juice extraction rate



Model NO.: SJ3106
220-240V~ 50/60Hz 200W

- Elegant and compact design
- Detachable accessories for easy cleaning
- Slow juice extraction with better taste and fresh feeling
- Working speed with 80-115/RPM (KB: 10mins)
- Low noise design of DC type motor, less than 65db
- Press-button design with Reverse function to avoid food jammed
- New patent Large feeding mouth design 75mm for whole apple
- High juice extraction rate



Model NO.: SJ3107
220-240V~ 50/60Hz 200W

- Elegant and compact design
- Detachable accessories for easy cleaning
- Slow juice extraction with better taste and fresh feeling
- Working speed with 80-115/RPM (KB: 10mins)
- Low noise design of DC type motor, less than 65db
- Big Knob design with Reverse function to avoid food jammed
- New patent Large feeding mouth design 75mm for whole apple
- High juice extraction rate

Slow Juicer



Model NO.: SJ3001
220-240V~ 50/60Hz 150W

- Elegant and compact design
- Detachable accessories for easy cleaning
- Slow juice extraction with better taste and fresh feeling
- Working speed with 80-115/RPM (KB: 10mins)
- Low noise design of DC type motor, less than 65db
- Big Knob design with Reverse function to avoid food jammed
- Small feeding tube with 44mm diameter, with 2 cups accessory
- High juice extraction rate



Model NO.: SJ3004
220-240V~ 50/60Hz 150W

- Elegant and compact design
- Detachable accessories for easy cleaning
- Slow juice extraction with better taste and fresh feeling
- Working speed with 80-115/RPM (KB: 10mins)
- Low noise design of DC type motor, less than 65db
- Press-button design with Reverse function to avoid food jammed
- Small feeding tube with 44mm diameter, with 2 cups accessory
- High juice extraction rate



Model NO.: SJ3002
220-240V~ 50/60Hz 150W

- Elegant and compact design
- Detachable accessories with easy operation
- Slow juice extraction with better taste and feeling
- Working speed with 85-115/RPM
- Low noise level design, less than 65db
- Press-button designed with Reverse function to avoid food jammed
- Small feeding tube with 44mm diameter, with 2 cups accessory
- High juice extraction rate



Model NO.: SJ3005
220-240V~ 50/60Hz 150W

- Elegant and compact design
- Detachable accessories for easy cleaning
- Slow juice extraction with better taste and fresh feeling
- Working speed with 80-115/RPM (KB: 10mins)
- Low noise design of DC type motor, less than 65db
- Big Knob design with Reverse function to avoid food jammed
- Small feeding tube with 44mm diameter, with 2 cups accessory
- High juice extraction rate



Model NO.: SJ3003
220-240V~ 50/60Hz 150W

- Elegant and compact design
- Detachable accessories for easy cleaning
- Slow juice extraction with better taste and fresh feeling
- Working speed with 80-115/RPM (KB: 10mins)
- Low noise design of DC type motor, less than 65db
- Press-button design with Reverse function to avoid food jammed
- Small feeding tube with 44mm diameter, with 2 cups accessory
- High juice extraction rate



Model NO.: SJ3006
220-240V~ 50/60Hz 150W

- Elegant and compact design
- Detachable accessories for easy cleaning
- Slow juice extraction with better taste and fresh feeling
- Working speed with 80-115/RPM (KB: 10mins)
- Low noise design of DC type motor, less than 65db
- Touch-sensed panel design with Reverse function to avoid food jammed
- Small feeding tube with 44mm diameter, with 2 cups accessory
- High juice extraction rate

What is Vacuum Blending?

By using high-tech technology vacuum function firstly getting the air out of the blender, then starts blending to make juice.

It maximizes to keep the nutrients of fresh vegetables and fruits as it is.

The result of this blended juice has less contact to air to minimize oxidation / browning and bubbles to achieve a smooth drinking experience.

Ordinary Blender

Fruit getting oxidated under air affects.



Vacuum Blender

Removing air perserves freshness and nutrition.



Normal blending



- ▲ Bubble
- ▲ Layer speration
- ▲ Discoloration
- ▲ Oxidation
- ▲ Rough taste


Vacuum Blender




- ▲ Real juice
- ▲ Max nutrient
- ▲ Easy cleaning
- ▲ Keeping fresh
- ▲ Smooth taste

VITAMINA

Normal




Vacuum



POLYPHENOL

Normal



Vacuum



For healthy life You deseve the better

Vacuum technology, Maximum at its best!

High speed & Vacuum blender



Model NO.: VB987
220-240V~ 50/60Hz 1200W

- Vacuum blender with plastic jar
 - High speed with 24000RPM
 - Most fruit and vegetables without losing nutrient by blending in vacuum state, change to another lid heating function available
 - TRITAN plastic jar capacity 1.75L
 - 6pcs blade
 - Knob switch for speed and timer control according to the different programs
 - With vacuum function (-60kpa)
- LOAD QUANTITY:
- 20DC: 585pcs
 - 40DC: 1208pcs
 - 40HQ: 1420pcs



Model NO.: VB982
1200W for blending, 800W for heating

- Vacuum blender with glass jar
 - High speed with 24000RPM
 - Most fruit and vegetables without losing nutrient by blending in vacuum state
 - Glass jar capacity 1750ml
 - 6pcs stainless steel blade
 - Smart IC for speed and timer control according to the different programs
 - LED screen with IMD touch control panel
 - With vacuum function (-60kpa)
- LOAD QUANTITY:
- 20DC: 585pcs
 - 40DC: 1208pcs
 - 40HQ: 1420pcs



Model NO.: VB983
1200W for blending, 800W for heating

- Vacuum blender with glass jar
 - High speed with 24000RPM
 - Most fruit and vegetables without losing nutrient by blending in vacuum state
 - Glass jar capacity 1750ml
 - S/S decoration body
 - 6pcs stainless steel blade
 - Smart IC for speed and timer control according to the different programs
 - LED screen with knob control panel
 - With vacuum function (-60kpa)
- LOAD QUANTITY:
- 20DC: 585pcs
 - 40DC: 1208pcs
 - 40HQ: 1420pcs



Model NO.: VB982A
1200W for blending, 800W for heating

- High speed blender with glass jar
 - High speed with 24000RPM
 - Stir, chop, mix, puree, juicer, smoothie, ice crushed, soymilk, porridge with heating function.
 - Glass jar capacity 1750ml
 - 6pcs blade, s/s
 - decoration
 - Smart IC for speed and timer control according to the different programs
 - LED screen with IMD touch control panel
- LOAD QUANTITY:
- 20DC: 585pcs
 - 40DC: 1208pcs
 - 40HQ: 1420pcs



Model NO.: VB983A
1200W for blending, 800W for heating

- High speed blender with glass jar
 - High speed with 24000RPM
 - Stir, chop, mix puree, juicer, smoothie, ice crushed, soymilk, porridge with heating function
 - Glass jar capacity 1750ml
 - S/S decoration body
 - 8pcs stainless steel blade
 - Smart IC for speed and timer control according to the different programs
 - LED screen with knob control panel
- LOAD QUANTITY:
- 20DC: 585pcs
 - 40DC: 1208pcs
 - 40HQ: 1420pcs



Model NO.: VB981
1200W for blending, 800W for heating

- Vacuum blender with glass jar
 - High speed with 24000RPM
 - Most fruit and vegetables without losing nutrient by blending in vacuum state
 - Glass jar capacity 1750ml
 - 8pcs stainless steel blade
 - Smart IC for speed and timer control according to the different programs
 - LED screen with IMD touch control panel
 - With vacuum function (-60kpa)
- LOAD QUANTITY:
- 20DC: 585pcs
 - 40DC: 1208pcs
 - 40HQ: 1420pcs

High speed & Vacuum blender



Model NO.: VB8006
220-240V~ 50/60Hz 1000W

- Ultra-silent design with elegant product appearance
- Big knob design with variable speed control and pulse function
- Body built with luminated indicator light
- 3 automatic programs: Auto, Smoothie, and vacuum
- 1.2 litre big capacity blender jug
- With 600ml Tritan travel blender for convenient usage
- Premium stainless steel 4pcs blade
- Dishwasher safe parts
- Non slip feet for stability
- Powerful motor with 26000 rpm
- With Vacuum function(-75 Kpa)



Model NO.: VB988
220-240V~ 50/60Hz 800W

- Vacuum blender with plastic jar
- High speed with 24000RPM Stainless steel appearance
- Most fruit and vegetables without losing nutrient by blending in vacuum state, change to another lid heating function available
- Plastic jar capacity 1.5L
- 6pcs stainless steel blade
- Smart IC for speed and timer control according to the different programs
- IMD control panel
- With vacuum function (-45kpa)
- **LOAD QUANTITY:**
 - 20DC: 1080pcs
 - 40DC: 2230pcs
 - 40HQ: 2616pcs



Model NO.: VB8002
220-240V~ 50/60Hz 800W

- High speed with 22000 RPM
- Big capacity TRITAN jar
- 1500ml
- 6pcs stainless steel blade for better blending result
- Smart IC for speed and timer control according to the different programs
- Mechanical control panel with big knob design
- Optional with vacuum function (-45kpa)
- **LOAD QUANTITY:**
 - 20DC: 1080pcs
 - 40DC: 2230pcs
 - 40HQ: 2616pcs



Model NO.: VB988A
800W for blending, 500W for heating

- High speed blender with glass jar
- High speed with 24000RPM
- Stainless steel appearance
- Stir, chop, mix puree, juicer, smoothie, ice crushed, soymilk, porridge with heating function
- Glass jar capacity 1.2L
- 6pcs stainless steel blade
- Smart IC for speed and timer control according to the different programs
- IMD control panel
- Optional with vacuum function (-45kpa)
- **LOAD QUANTITY:**
 - 20DC: 1080pcs
 - 40DC: 2230pcs
 - 40HQ: 2616pcs



Model NO.: VB995
800W for blending, 600W for heating

- High speed blender with glass jar
- High speed with 24000 RPM
- Big capacity glass jar 1750ml
- 6pcs stainless steel blade for better blending result
- Smart IC for speed and timer control according to the different programs
- LED screen with IMD touch control panel
- Optional with vacuum function (-45kpa)
- **LOAD QUANTITY:**
 - 20DC: 585pcs
 - 40DC: 1208pcs
 - 40HQ: 1420pcs



Model NO.: VB988A
800W for blending, 500W for heating

- 3 in 1 Multi function high speed blend, vacuum blender food processor
- Wattage: 800W for blending, 600W for heating
- High speed with 24000RPM
- With plastic jar under vacuum state get most fruit and vegetables without losing nutrient by blending
- TRITAN plastic jar: 1.5L
- With glass jar for stir, chop, juicer, smoothie, ice crushed, soymilk under heating function
- Glass jar capacity :1200ml
- With stainless steel jar for grinder, chop function
- Stainless steel grinder jar capacity :1000ml
- 6pcs stainless steel blade
- Smart IC for speed and timer control according to the different programs
- IMD control panel
- With vacuum function (-45kpa)

Stand Mixer



Model:SM-627

- *Robust gear system
- ***3.5L** stainless steel bowl
- *With head safety lock
- *Chassis 4 stronger sucker
- *6 speeds control
- *Tilt-up head for easy change attachments
- *Detachable kneading hook, whisk, and spatula
- *With powerful 7025 motor
- *220-240V, 50Hz, 700W

Packaing

With meat grinder accessory

Gift Box Size: 36.2×22.1×29cm

Carton Size: 45.5×37.5×31cm

20'GP: 1120pcs, 40'GP: 2300pcs, 40'HQ: 2600pcs

2PCS/CARTON



Standard Accessories



Nylon flat beater



Nylon dough hook



Metal beater



Metal dough hook



Egg whisk



Spatula



Splash lid

Stand Mixer



Model:SM-232A

Standard Accessories



- *4L stainless steel bowl
- *500W power (motor :7025)
- * 6 speeds + 0 Level
- *Chassis 4 sucker design.
- *Tilt-up head allows easy removable of bowl.
- * Bowl with lid for adding ingredient any time wanted
- *Detachable Aluminum dough hook, SS 304 egg whisk, Aluminum flat beater, spatula

Packaging

Gift Box Size: 35.6x24.6x32cm
Carton Size: 50.5x37x33.5cm
20' GP: 900pcs, 40' GP: 1800pcs, 40' HQ 2100pcs
2PCS/ CARTON

Hand Mixer

Model:HM1002



- ◆ 5 speed
- ◆ Power:100-150W
- ◆ Beater ejection button
- ◆ Efficient cooling system
- ◆ Ctn Size:54×39×29CM,24Pcs/Ctn
- ◆ 20GP/10992PCS,40GP/22776PCS,40HQ/26712PCS
- ◆ PP housing
- ◆ 2pcs egg beater
- ◆ 2pcs dough hooks
- ◆ MOQ: 2400PCS

Model:HM1006



- ◆ 5 speed
- ◆ Power:100-150W
- ◆ Beater ejection button
- ◆ Efficient cooling system
- ◆ Ctn Size:47×38.5×31.5CM,24Pcs/Ctn
- ◆ 20GP/11784PCS,40GP/24408PCS,40HQ/28608PCS
- ◆ PP housing
- ◆ 2pcs egg beater
- ◆ 2pcs dough hooks
- ◆ MOQ: 2400PCS



Hand Mixer

Model:HM2228E

Power:800W

Speed :single button with Intuitive variable speed setting Slim ergonomic handle

Hang-up loop for easy mounting

Removable shaft for easy cleaning and storage

Blade:Stainless steel blade



Model:HM668


Power: 200W/350-400W

Body: Plastic housing

Speed: 5 speed control with TURBO switch Accessories: 2 chrome beaters and 2 chrome hooks

Toaster

6 BROWNING SETTINGS FOR YOUR PREFER



Model: GT2032A

- *2 Slice Toaster in modern design, 230V 800W
- *Extra wide slot 38mm for 120mm x 120mm bread
- *Red power indicator
- * Slots self-adjust function to hold and toast all bread
- *6 browning levels
- *Detachable crumb tray
- *Self-centering / Anti-jam/ High lift function
- *Cord storage base with anti slip feet
- *External length of power cord: 75cm
- *Middle SUS part in polished ss
- *Both panels in solid color
- *Lever, browning dial & function buttons in wooden color

Model: GT2034

- *4-slice Stainless steel toaster in modern design
- *220-240V 1460-1750W SAA plug
- * Middle SUS part in brushed SS, solid panels in brushed ss
- * Automatic centering function
- *High lift function
- *Anti Jam function
- *38mm width slot, fit for big and small bread
- *Reheat, Cancel and Defrost functions
- *6 browning levels
- *Slide out crumb trays for easy cleaning
- *Cord-storage base with non-slip feet
- *External length of power cord :75cm

Kettle



Model: KE1815A (sanding electroplating ring) color box size: 203 * 165 * 230mm carton size: 67.5 * 42 * 47.5cm

Temperature control (customizable): single gold and double gold temperature controller

Voltage (customizable): 110 V / 220 V

Power (customizable): 500-1800w

Model: KE1815B (sanding electroplating ring) color box size: 203 * 165 * 230mm carton size: 67.5 * 42 * 47.5cm

Temperature control (customizable): single gold and double gold temperature controller

Voltage (customizable): 110 V / 220 V

Power (customizable): 500-1800w



Kettle



Plug Catalogue



Model: KE1820C (semi stainless steel) color box size: 203 * 165 * 240mm large box size: 84 * 42 * 50cm

Temperature control (customizable): single gold and double gold temperature controller

Voltage (customizable): 110 V / 220 V

Power (customizable): 500-1800w

Model: KE1808 (High borosilicate glass with LED) color box size: 203 * 165 * 240mm box size: 84 * 42 * 50cm

Temperature control (customizable): single gold and double gold temperature controller

Voltage (customizable): 110 V / 220 V

Power (customizable): 500-1800w





ST1800

1. 304 stainless steel pot liner
2. Spraying high-gloss gold pearl white double-layer high-temperature paint
3. Swan neck shape
4. Aluminum alloy chrome-plated handle
5. Heart diamond shape crystal handle
6. Rose gold decoration
7. External temperature gauge, built-in water ruler
8. Top cover, base environmental protection PP
9. Unique rotary switch
10. Drop that boil water, insulation, rotating power off
11. 220V 1800W 1.8L



ST1801:

1. 304 stainless steel pot liner
2. External spray high-gloss gold pearl white double-layer high-temperature paint
3. External temperature gauge, built-in water ruler
4. upper lid, base environmental protection PP
5. 220V 1800W 1.7L